Enclosure: Listing of Claims

\*\*\*\*

THE COMMISSIONER IS HEREBY AUTHORIZED TO CHARGE ANY FURTHER OR ADDITIONAL FEES WHICH MAY BE REQUIRED (DUE TO OMISSION, DEFICIENCY, OR OTHERWISE), OR TO CREDIT ANY OVERPAYMENT, TO DEPOSIT ACCOUNT NO. 08,3220.

## LISTING OF CLAIMS

## - 1 - (currently amended)

A method-of-treating a living animal for inhibition of progression or alleviation of a condition which is alleviated by a 5HT<sub>3</sub> or neuronal nicotinic receptor antagonist, selected from emesis, cerebellar tremor, appetite disorders, and irritable bowel syndrome,\_comprising the step of administering to the said living animal an amount of a 1-aminoalkylcyclohexane compound selected from the group consisting of those of the formula

wherein R\* is -(CH<sub>2</sub>)<sub>n</sub>-(CR $^6$ R $^7$ )<sub>m</sub>-NR $^8$ R $^9$ 

wherein n+m=0, 1, or 2

wherein R1 through R7 are independently selected from the group consisting of hydrogen and lower-alkyl C<sub>1</sub>-C<sub>6</sub>, wherein R<sup>8</sup> and R<sup>9</sup> are independently selected from the group consisting of hydrogen and lower-alkyl C<sub>1</sub>-C<sub>6</sub> or together represent loweralkylene  $-(CH_2)_x$ - wherein x is 2 to 5, inclusive, and optical isomers, enantiomers, hydrates, and pharmaceutically-acceptable salts thereof, which is effective for the said purpose.

- 2 - (previously presented)

A method of Claim 1 wherein at least R1, R4, and R5 are lower-alkyl.

- 3 - (previously presented)

A method of Claim 2 wherein R<sup>1</sup> through R<sup>5</sup> are methyl.

- 4 - (previously presented)

A method of Claim 1 wherein R1 is ethyl.

- 5 - (previously presented)

A method of Claim 1 wherein R<sup>2</sup> is ethyl.

- 6 - (previously presented)

A method of Claim 1 wherein R<sup>3</sup> is ethyl.

- 7 - (previously presented)

A method of Claim 1 wherein R4 is ethyl.

-8 - (previously presented)

A method of Claim 1 wherein R<sup>5</sup> is ethyl.

- 9 - (previously presented)

A method of Claim 1 wherein R<sup>5</sup> is propyl.

- 10 - (previously presented)

A method of Claim 1 wherein R<sup>6</sup> or R<sup>7</sup> is methyl.

- 11 - (previously presented)

A method of Claim 1 wherein R<sup>6</sup> or R<sup>7</sup> is ethyl.

- 12 - (currently amended)

A method of Claim 2 wherein  $\times \underline{x}$  is 4 or 5.

- 13 - (currently amended)

A method of Claim 3 wherein X x is 4 or 5.

- 14 - (canceled)

## - 15 - (previously presented)

A method of Claim 1 wherein the compound is selected from the group consisting of

- 1-Amino-1,3,3,5,5-pentamethylcyclohexane,
- 1-Amino-1-propyl-3,3,5,5-tetramethylcyclohexane,
- 1-Amino-1,3,3,5(trans)-tetramethylcyclohexane (axial amino group),
- 1-Amino-1,3,5,5-tetramethyl-3-ethylcyclohexane (mixture of diastereomers),
- 1-Amino-1,3,5-trimethylcyclohexane (mixture of diastereomers),
- 1-Amino-1,3-dimethyl-3-propylcyclohexane (mixture of diastereomers),
- 1-Amino-1,3 (trans),5 (trans)-trimethyl-3(cis)- propylcyclohexane,
- 1-Amino-1,3-dimethyl-3-ethylcyclohexane,
- 1-Amino-1,3,3-trimethylcyclohexane,
- 1-Amino-1,3 (trans)-dimethylcyclohexane,
- 1-Amino-1-methyl-3 (trans) propylcyclohexane,
- 1-Amino-1-methyl-3 (trans) ethylcyclohexane,
- 1-Amino-1,3,3-trimethyl-5 (cis) ethylcyclohexane,
- 1-Amino-1,3,3-trimethyl-5 (trans) ethylcyclohexane,
- N-methyl-1-Amino-1,3,3,5.5-pentamethylcyclohexane,
- 1-Amino-1-methylcyclohexane,
- N,N-dimethyl-1-amino-1,3,3,5,5-pentamethylcyclohexane,
- 1-Amino-1.5.5-trimethyl-3(cis)-isopropyl-cyclohexane,
- 1-Amino-1,5,5-trimethyl-3(trans)-isopropyl-cyclohexane,
- 1-Amino-1-methyl-3(cis)-ethyl-cyclohexane,
- 1-Amino-1-methyl-3(cis)-methyl-cyclohexane,
- 1-Amino-5,5-diethyl-1,3,3-trimethyl-cyclohexane, and

N-(1,3,3,5,5-pentamethylcyclohexyl) pyrrolidine,

and optical isomers, enantiomers, hydrates and pharmaceutically-acceptable salts of any of the foregoing.

- 16 - (previously presented)

HUESCHEN AND SAGE

A method of Claim 1 wherein the compound is administered in the form of a pharmaceutical composition thereof comprising the compound in combination with one or more pharmaceutically-acceptable diluents, excipients, or carriers.

- 17 - (previously presented)

A method of Claim 15 wherein the compound is administered in the form of a pharmaceutical composition thereof comprising the compound in combination with one or more pharmaceutically-acceptable diluents, excipients, or carriers.